CC CC
CC CC
CC CC

CC CC - DELIVERY CODE - CC CC

CC CC
CC CC
CC CC

```
 GGGGGGG    888888       11       222222                FFFFFFFF
GG         88    88     111      22    22               FF
GG         88    88      11             222             FF
GG  GGGG    888888       11           222               FFFFFF
GG    GG   88    88      11         22                  FF
GG    GG   88    88      11        22                   FF
 GGGGGG     888888    11111111   22222222               FF
```

CROSSTABS

PROCESSING SITE = CC

JOB ID = SYSTEM SEQUENCE = JBKF

77/03/28. 14.32.07.

SOFF, SCL, SMIL, SDMAR,

SDNUN BY SPOS

23 MAR - NOTICE OF SPRING VACATION SCHEDULE, NEW VERSION OF BMD P-SERIES, SEE THE BULLET.

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

UNIVERSITY OF COLORADO COMPUTING CENTER

SPSS - STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES

VERSION 6.5 (REVISED) -- JANUARY 1, 1977

RUN NAME	TRIAL RUN FOR THE PARLEMENT
FILE NAME	PARIS
VARIABLE LIST	CON,CONCL,MR,PAR,PAE,PAM,DCON,DCONCL,DMR,DPAR,DPAE,DPAM,YCON, YCONCL,YMR,YPAR,YPAE,YPAM,NOMAR,UNOMAR,DUOMAR,GRMAR,FRMAR,UNSMAR, DUSMAR,GRPOS,FRPOS,SPOS,GSPOS,FROFF,FRCL,FRMIL,FRDMAR,FRDNUN, SKIDS,BROPAR,CUZPAR,UNCPAR,SOFF,SCL,SMIL,SDMAR,SDNUN,VOBPAR, OFFIBP,PROPAR,AFTPAR,CARCNG,KIDTP,OBMR,POSBMR,MRPRO,MRAFT,MRCCNG, MRKMR,MRINT,MRPAR,POSPAR,GENSER,FPROPR,GRLOC,FRLOC,SLOC,GROCC, FROCC,SOCC,OFFMAR,OGRFIL,OFRFIL,OSFIL,OFILS,SFILGR,CFILGR,FRFILS, FILCFR,SFRFIL,CFRFIL,CGRFR,CSFR,SGRC,CGRSS,RCSGRS,YRCON,CCYR, YRMR,YEPAR,YRPAE,YAPAM,GRDEA,FRDEA,SONDEA,SAGMAR,WAGMAR,ADMAR, MSSAGE,MWSAGE,MADAGE,BRMAR,SISMAR,ZIZMAR,PRPROV,CMADPR,PROCON, GCONAG,MGRSAG,SMAGE,FGRDAG,SDAGE,AGECON,AGMR,PRAGE
INPUT MEDIUM	CARD
NO. OF CASES	799
INPUT FORMAT	FIXED(5X,6F1.0,1X,6F1.0,1X,6F1.0,1X,7F1.0,1X,4F1.0,2X,5F1.0, 1X,9F1.0,1X,6F1.0,1X,8F1.0,1X,3F1.0/5X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F1.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0/5X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X, F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0,1X,F2.0)

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
CON	F 1. 0	1	6- 6
CONCL	F 1. 0	1	7- 7
MR	F 1. 0	1	8- 8
PAR	F 1. 0	1	9- 9
PAE	F 1. 0	1	10- 10
PAM	F 1. 0	1	11- 11
DCON	F 1. 0	1	13- 13
DCONCL	F 1. 0	1	14- 14
DMR	F 1. 0	1	15- 15
DPAR	F 1. 0	1	16- 16
DPAE	F 1. 0	1	17- 17
DPAM	F 1. 0	1	18- 18
YCON	F 1. 0	1	20- 20
YCONCL	F 1. 0	1	21- 21

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
YMR	F 1. 0	1	22- 22
YPAR	F 1. 0	1	23- 23
YPAE	F 1. 0	1	24- 24
YPAM	F 1. 0	1	25- 25
NOMAR	F 1. 0	1	27- 27
UNOMAR	F 1. 0	1	28- 28
DUOMAR	F 1. 0	1	29- 29
GRMAR	F 1. 0	1	30- 30
FRMAR	F 1. 0	1	31- 31
UNSMAR	F 1. 0	1	32- 32
DUSMAR	F 1. 0	1	33- 33
GRPOS	F 1. 0	1	35- 35
FRPOS	F 1. 0	1	36- 36
SPOS	F 1. 0	1	37- 37
GSPOS	F 1. 0	1	38- 38
FROFF	F 1. 0	1	41- 41
FRCL	F 1. 0	1	42- 42
FRMIL	F 1. 0	1	43- 43
FRDMAR	F 1. 0	1	44- 44
FRDNUN	F 1. 0	1	45- 45
SKIDS	F 1. 0	1	47- 47
BROPAR	F 1. 0	1	48- 48
CUZPAR	F 1. 0	1	49- 49
UNCPAR	F 1. 0	1	50- 50
SOFF	F 1. 0	1	51- 51
SCL	F 1. 0	1	52- 52
SMIL	F 1. 0	1	53- 53
SDMAR	F 1. 0	1	54- 54
SDNUN	F 1. 0	1	55- 55
VOBPAR	F 1. 0	1	57- 57
OFFIBP	F 1. 0	1	58- 58
PROPAR	F 1. 0	1	59- 59
AFTPAR	F 1. 0	1	60- 60
CARCNG	F 1. 0	1	61- 61
KIDIP	F 1. 0	1	62- 62
OBMR	F 1. 0	1	64- 64
POSBMR	F 1. 0	1	65- 65
MRPRO	F 1. 0	1	66- 66
MRAFT	F 1. 0	1	67- 67
MRCCNG	F 1. 0	1	68- 68
MRKMR	F 1. 0	1	69- 69
MRINT	F 1. 0	1	70- 70
MRPAR	F 1. 0	1	71- 71
POSPAR	F 1. 0	1	73- 73
GENSER	F 1. 0	1	74- 74
FPROPR	F 1. 0	1	75- 75

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
GRLOC	F 2. 0	2	6- 7
FRLOC	F 2. 0	2	9- 10
SLOC	F 2. 0	2	12- 13
GROCC	F 2. 0	2	15- 16
FROCC	F 2. 0	2	18- 19
SOCC	F 2. 0	2	21- 22
OFFMAR	F 2. 0	2	24- 25
OGRFIL	F 2. 0	2	27- 28
OFRFIL	F 2. 0	2	30- 31
OSFIL	F 2. 0	2	33- 34
OFILS	F 2. 0	2	36- 37
SFILGR	F 1. 0	2	39- 39
CFILGR	F 2. 0	2	41- 42
FRFILS	F 1. 0	2	44- 44
FILCFR	F 2. 0	2	46- 47
SFRFIL	F 1. 0	2	49- 49
CFRFIL	F 2. 0	2	51- 52
CGRFR	F 2. 0	2	54- 55
CSFR	F 2. 0	2	57- 58
SGRC	F 2. 0	2	60- 61
CGRSS	F 2. 0	2	63- 64
RCSGRS	F 2. 0	2	66- 67
YRCON	F 2. 0	2	69- 70
CCYR	F 2. 0	2	72- 73
YRMR	F 2. 0	2	75- 76
YEPAR	F 2. 0	2	78- 79
YRPAE	F 2. 0	3	6- 7
YAPAM	F 2. 0	3	9- 10
GRDEA	F 2. 0	3	12- 13
FRDEA	F 2. 0	3	15- 16
SONDEA	F 2. 0	3	18- 19
SAGMAR	F 2. 0	3	21- 22
WAGMAR	F 2. 0	3	24- 25
ADMAR	F 2. 0	3	27- 28
MSSAGE	F 2. 0	3	30- 31
MWSAGE	F 2. 0	3	33- 34
MADAGE	F 2. 0	3	36- 37
BRMAR	F 2. 0	3	39- 40
SISMAR	F 2. 0	3	42- 43
ZIZMAR	F 2. 0	3	45- 46
PRPROV	F 2. 0	3	48- 49
CMADPR	F 2. 0	3	51- 52
PROCON	F 2. 0	3	54- 55
GCONAG	F 2. 0	3	57- 58
MGRSAG	F 2. 0	3	60- 61
SMAGE	F 2. 0	3	63- 64

DATA DOCUMENTS/INC., SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

ACCORDING TO YOUR INPUT FORMAT, VARIABLES ARE TO BE READ AS FOLLOWS

VARIABLE	FORMAT	RECORD	COLUMNS
FGRDAG	F 2. 0	3	66- 67
SDAGE	F 2. 0	3	69- 70
AGECON	F 2. 0	3	72- 73
AGMR	F 2. 0	3	75- 76
PRAGE	F 2. 0	3	78- 79

THE INPUT FORMAT PROVIDES FOR 111 VARIABLES. 111 WILL BE READ
IT PROVIDES FOR 3 RECORDS (*CARDS*) PER CASE. A MAXIMUM OF 79 *COLUMNS* ARE USED ON A RECORD.

```
MISSING VALUES CON(0)/CONCL(0)/MR(0)/PAR(0)/PAE(0)/PAM(0)/DCON(0,1)/DCONCL(0,1)/
               DMR(0,1)/DPAR(0,1)/DPAE(0,1)/DPAM(0,1)/YCON(0,1)/YCONCL(0,1)/
               YMR(0,1)/YPAR(0,1)/YPAE(0,1)/YPAM(0,1)/NOMAR(0)/UNOMAR(0,1)/
               DUOMAR(0,1)/GRMAR(0)/FRMAR(0)/UNSMAR(0,1)/DUSMAR(0,1)/GRPOS(0)/
               FRPOS(0)/SPOS(0)/GSPOS(0)/FROFF(0)/FRCL(0)/FRMIL(0)/FRDMAR(0)/
               FRDNUN(0)/SKIDS(0)/BROPAR(0)/CUZPAR(0,1)/UNCPAR(0,1)/SOFF(0)/
               SCL(0)/SMIL(0)/SDMAR(0)/SDNUN(0)/VOBPAR(0,1)/OFFIBP(0,1)/PROPAR
               (0,1)/AFTPAR(0,1)/CARCNG(0,1)/KIDIP(0,1)/OBMR(0,1)/POSBMR(0,1)/
               MRPRO(0,1)/MRAFT(0,1)/MRCCNG(0,1)/MRKMR(0,1)/MRINT(0,1)/MRPAR(0,1
               )/POSPAR(0)/GENSER(0)/FPROPR(0,1)/GRLOC(0)/FRLOC(0)/SLOC(0)/GROCC
               (0)/FROCC(0)/SOCC(0)/OFFMAR(0,1)/OGRFIL(0)/OFRFIL(0)/OSFIL(0,1)/
               OFILS(0,1)/SFILGR(0)/CFILGR(0)/FRFILS(0,1)/FILCFR(0,1)/SFRFIL
               (0,1)/CFRFIL(0,1)/CGRFR(0)/CSFR(0)/SGRC(0)/CGRSS(0)/RCSGRS(0)/
MISSING VALUES YRCON(0,99)/CCYR(0,99)/YRMR(0,99)/YEPAR(0,99)/YRPAE(0,99)/YAPAM
               (0,99)/GRDEA(0,99)/FRDEA(0,99)/SONDEA(0,99)/SAGMAR(0,99)/WAGMAR
               (0,99)/ADMAR(0,99)/MSSAGE(0,99)/MWSAGE(0,99)/MADAGE(0,99)/BRMAR
               (0)/SISMAR(0)/ZIZMAR(0)/PRPROV(0)/CMADPR(0)/PROCON(0)/GCONAG(0)/
               MGRSAG(0)/SMAGE(0)/FGRDAG(0)/SDAGE(0)/AGECON(0,99)/AGMR(0,99)/
               PRAGE(0,99)
CROSSTABS      VARIABLES=SOFF(0,9),SCL(0,9),SMIL(0,9),SDMAR(0,9),SDNUN(0,9)/SPOS
               (0,9)/TABLES=SOFF,SCL,SMIL,SDMAR,SDNUN BY SPOS
STATISTICS     ALL
READ INPUT DATA

043200 CM NEEDED FOR CROSSTABS
```

DATA DOCUMENTS/INC. SS-192

UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SOFF BY SPOS

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
SOFF BY SPOS
* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SCL BY SPOS

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * *
SCL BY SPOS
* PAGE 2 OF 2

SCL \ SPOS	1	2	3	4	5	6	7	8	9	ROW TOTAL
9 COUNT	0	0	3	2	1	1	1	0	0	8
ROW PCT	0	0	37.5	25.0	12.5	12.5	12.5	0	0	1.1
COL PCT	0	0	3.1	2.7	1.1	1.3	2.4	0	0	
TOT PCT	0	0	.4	.3	.1	.1	.1	0	0	
COLUMN TOTAL	211 28.8	78 10.7	97 13.3	74 10.1	89 12.2	75 10.2	41 5.6	28 3.8	39 5.3	732 100.0

75%+

RAW CHI SQUARE = 820.59360 WITH 64 DEGREES OF FREEDOM. SIGNIFICANCE = 0
CRAMER≠S V = .37434
CONTINGENCY COEFFICIENT = .72700
LAMBDA (ASYMMETRIC) = .50342 WITH SCL DEPENDENT. = .22841 WITH SPOS DEPENDENT.
LAMBDA (SYMMETRIC) = .35417
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .42369 WITH SCL DEPENDENT. = .28615 WITH SPOS DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .34160
KENDALL≠S TAU B = .66284. SIGNIFICANCE = 0
KENDALL≠S TAU C = .56208. SIGNIFICANCE = 0
GAMMA = .78960
SOMERS≠S D (ASYMMETRIC) = .59123 WITH SCL DEPENDENT. = .74311 WITH SPOS DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .65853
ETA = .56415 WITH SCL DEPENDENT.
ETA = .79694 WITH SPOS DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 67

DATA DOCUMENTS/INC. SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SMIL BY SPOS

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
SMIL BY SPOS
* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SDMAR BY SPOS

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
SDMAR BY SPOS
* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *

SDNUN BY SPOS

* * * * * * * * * * * * * * * * * * \

FILE PARIS (CREATION DATE = 77/03/28.)

* * * * * * * * * * * * * * * * * * * CROSSTABULATION OF * * * * * * * * * * * * * * * * * * *
SDNUN BY SPOS
* PAGE 2 OF 2

SDNUN	SPOS 1	2	3	4	5	6	7	8	9	ROW TOTAL
9	0	1	2	4	13	14	12	11	18	75
	0	1.3	2.7	5.3	17.3	18.7	16.0	14.7	24.0	10.2
66⅔% +	0	1.3	2.0	5.5	14.3	18.7	29.3	39.3	46.2	
	0	.1	.3	.5	1.8	1.9	1.6	1.5	2.5	
COLUMN TOTAL	211 28.8	76 10.4	98 13.4	73 10.0	91 12.4	75 10.2	41 5.6	28 3.8	39 5.3	732 100.0

RAW CHI SQUARE = 733.91386 WITH 64 DEGREES OF FREEDOM. SIGNIFICANCE = 0
CRAMER≠S V = .35402
CONTINGENCY COEFFICIENT = .70757
LAMBDA (ASYMMETRIC) = .45057 WITH SDNUN DEPENDENT. = .20537 WITH SPOS DEPENDENT.
LAMBDA (SYMMETRIC) = .31695
UNCERTAINTY COEFFICIENT (ASYMMETRIC) = .37921 WITH SDNUN DEPENDENT. = .25373 WITH SPOS DEPENDENT.
UNCERTAINTY COEFFICIENT (SYMMETRIC) = .30403
KENDALL≠S TAU B = .68641. SIGNIFICANCE = 0
KENDALL≠S TAU C = .58408. SIGNIFICANCE = 0
GAMMA = .81980
SOMERS≠S D (ASYMMETRIC) = .61451 WITH SDNUN DEPENDENT. = .76673 WITH SPOS DEPENDENT.
SOMERS≠S D (SYMMETRIC) = .68223
ETA = .65291 WITH SDNUN DEPENDENT.
ETA = .77929 WITH SPOS DEPENDENT.

NUMBER OF MISSING OBSERVATIONS = 67

DATA DOCUMENTS/INC., SS-192
UNIVERSITY OF COLORADO COMPUTING CENTER